

	Type	Hits	Search Text	DBs
1	IS&R	21	(398/16).CCLS.	USPAT
2	IS&R	71	(398/32).CCLS.	USPAT
3	IS&R	33	(398/33).CCLS.	USPAT
4	IS&R	8	(398/149).CCLS.	USPAT
5	IS&R	97	(398/158).CCLS.	USPAT
6	IS&R	67	(398/162).CCLS.	USPAT
7	IS&R	46	(398/159).CCLS.	USPAT
8	IS&R	239	(398/202).CCLS.	USPAT
9	IS&R	72	(398/209).CCLS.	USPAT
10	IS&R	60	(398/208).CCLS.	USPAT
11	BRS	3	(pramode near1 kandpal).in.	USPAT; EPO; JPO
12	BRS	18	(price near1 alistair).in.	USPAT; EPO; JPO
13	BRS	1513	(david near1 smith).in.	USPAT; EPO; JPO
14	BRS	219	((david near1 smith).in.) and optical	USPAT; EPO; JPO
15	BRS	7	(((david near1 smith).in.) and optical) and transmission) and grating\$1	USPAT
16	BRS	81	(((david near1 smith).in.) and optical) and transmission	USPAT; EPO; JPO
17	BRS	1653	((tun\$4 or adjust\$4) with (filter\$3 or grating\$1)) same (pilot or tone or supervisory)	USPAT; EPO; JPO
18	BRS	1049	((tun\$4 or adjust\$4) with (filter\$3 or grating\$1)) with (pilot or tone or supervisory)	USPAT; EPO; JPO
19	BRS	668	((tun\$4 or adjust\$4) near5 (filter\$3 or grating\$1)) with (pilot or tone or supervisory)	USPAT; EPO; JPO
20	BRS	2	359/1-214.ccls. and (((tun\$4 or adjust\$4) near5 (filter\$3 or grating\$1)) with (pilot or tone or supervisory))	USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
21	BRS	4	359/1-214.ccls. and (((tun\$4 or adjust\$4) with (filter\$3 or grating\$1)) same (pilot or tone or supervisory))	USPAT; EPO; JPO
22	BRS	454	((tun\$4 or adjust\$4) near5 (filter\$3 or grating\$1)) near5 (pilot or tone or supervisory)	USPAT; EPO; JPO
23	BRS	82	(((tun\$4 or adjust\$4) near5 (filter\$3 or grating\$1)) near5 (pilot or tone or supervisory)) and optic\$2	USPAT; EPO; JPO
24	BRS	297	((tunable or variable or adjustable) near5 (filter\$3 or grating\$1)) with (pilot or tone or supervisory)	USPAT; EPO; JPO
25	BRS	164	((tunable or variable or adjustable) near5 (filter\$3 or grating\$1)) near5 (pilot or tone or supervisory)	USPAT; EPO; JPO
26	BRS	235	(grating\$1) with (pass\$3 with reflect\$3) with filter\$1	USPAT; EPO; JPO
27	BRS	65	(grating\$1) with (pass\$3 with reflect\$3) with (tun\$3 or adjust\$3)	USPAT; EPO; JPO
28	BRS	172	((grating\$1 or filter\$1) near5 (tunable or adjustable)) with monitor\$3	USPAT; EPO; JPO
29	IS&R	1388	(385/37).CCLS.	USPAT
30	BRS	600	((385/37).CCLS.) and (tunable or adjustable or variable)	USPAT
31	BRS	359	(((385/37).CCLS.) and (tunable or adjustable or variable)) and (temperature or thermal)	USPAT
32	BRS	8	(((385/37).CCLS.) and (tunable or adjustable or variable)) and (temperature or thermal)) and (pilot or supervisory or tone)	USPAT
33	IS&R	6	("5467212") or ("5504609") or ("5673129") or ("5715076") or ("5726784") or ("5784184").PN.	USPAT
34	IS&R	647	(359/589).CCLS.	USPAT
35	IS&R	142	(359/578).CCLS.	USPAT
36	BRS	145553	(supervisory or pilot or tone)	USPAT
37	BRS	28	((359/589).CCLS.) and (supervisory or pilot or tone)	USPAT
38	BRS	2	((359/578).CCLS.) and (supervisory or pilot or tone)	USPAT

	Type	Hits	Search Text	DBs
39	BRS	150	((359/589).CCLS.) and (tunable or adjustable or variable)	USPAT
40	IS&R	47	(398/31).CCLS.	USPAT
41	IS&R	37	(398/213).CCLS.	USPAT
42	IS&R	187	(398/91).CCLS.	USPAT
43	IS&R	58	(398/30).CCLS.	USPAT
44	IS&R	518	(398/79).CCLS.	USPAT
45	BRS	32	((398/79).CCLS.) and (tunable adj laser)	USPAT
46	BRS	1	(multi adj frequency adj laser) with wdm	USPAT
47	BRS	1	(multi adj frequenc\$3 adj laser) with wdm	USPAT
48	BRS	11	(multi adj frequenc\$3 adj laser) same wdm	USPAT
49	BRS	355	(multi adj wavelength\$1) near5 laser	USPAT
50	BRS	29	((multi adj wavelength\$1) near5 laser) same wdm	USPAT
51	BRS	161	(transmitter\$1 with plurality with wavelength\$1) same wdm	USPAT
52	BRS	128	(transmitter\$1 with plurality with wavelength\$1) with wdm	USPAT
53	BRS	17	(transmitter\$1 near3 plurality near3 wavelength\$1) with wdm	USPAT
54	IS&R	1	("6101024").PN.	USPAT
55	BRS	1	((("6101024").PN.) and plurality	USPAT
56	BRS	4321	(transmit\$5) with (plural\$3 or multiple\$1) with wavelength\$1	USPAT
57	BRS	580	(transmit\$5) near2 (plural\$3 or multiple\$1) near2 wavelength\$1	USPAT
58	BRS	40	(transmitter) near2 (plural\$3 or multiple\$1) near2 wavelength\$1	USPAT